
PLASTIC FOOT PUMP


CYMFP01














This is a water foot pump made of POM and rubber
Easy to install compact design

Ideal for installation where space is limited


Angled design ensures more comfortable operation from a standing position
Ideal as a priming pump for use with Portable Toilet, Yacht,Boat, Handwashing station
Suitable for pumping freshwater and saltwater

Lightweight, economical

HS code:	84142000	Material:	PP/RUBBER/STEEL
Weight:	0.24kg	Flow Rate:	80ml per stroke
Size:	L14*W10*H7CM		
Hose Connections:	11-13mm		

PLASTIC FOOT PUMP


CYMFP01K















Front View



Plan View

This is a water foot pump made of POM and rubber
Easy to install compact design

Ideal for installation where space is limited

Angled design ensures more comfortable operation from a standing position
Ideal as a priming pump for use with Portable Toilet, Yacht,Boat, Handwashing station
Suitable for pumping freshwater and saltwater

Lightweight, economical


HS code:	84142000	Material:	PP/RUBBER/STEEL
Weight:	0.24kg	Flow Rate:	80ml per stroke
Size:	L14*W10*H7CM		
Hose Connections:	3/8″ ,1/2″ ,10mm,12mm		

CYM HOLDING GROUP LTD

Mainly manufactures Injection mold, Blowing mold, Rotational mold, Auto parts mold etc.


PLASTIC FOOT PUMP

CYMFP02









This is a water foot pump made of POM and rubber

Ideal for installation where space is limited


Angled design ensures more comfortable operation from a standing position,more pipe positions
Ideal as a priming pump for use with Portable Toilet, Yacht,Boat, Handwashing station

Suitable for pumping freshwater and saltwater Optional Base Port Configurations

Lightweight, economical







HS code:	84142000	Material:	POM/RUBBER/STEEL
Weight:	0.72kg	Flow Rate:	150ml per stroke
Size:	L14*W14*H13CM		
Hose Connections:	27mm or 20mm		

CNCYM

CYM HOLDING GROUP LTD

Mainly manufactures Injection mold, Blowing mold, Rotational mold, Auto parts mold etc.

PLASTIC FOOT PUMP

CYMFP03







This is a water foot pump made of POM and rubber

Easy to install compact design

Ideal for installation where space is limited
Angled design ensures more comfortable operation from a standing position
Ideal as a priming pump for use with Portable Toilet, Yacht,Boat

Suitable for pumping freshwater and saltwater

Lightweight, economical







HS code:	84142000	Material:	POM/RUBBER/STEEL
Weight:	0.82kg	Flow Rate:	150ml per stroke
Size:	L26*W14*H11CM		

CNCYM

CYM HOLDING GROUP LTD

Mainly manufactures Injection mold, Blowing mold, Rotational mold, Auto parts mold etc.

PLASTIC FOOT PUMP


CYMFP04














This is a water foot pump made of POM and rubber

Easy to install compact design

Ideal for installation where space is limited
Angled design ensures more comfortable operation from a standing position

Ideal as a priming pump for use with Portable Toilet, RV

Suitable for pumping freshwater and saltwater







HS code:	84142000	Material:	POM/RUBBER/STEEL
Weight:	0.84kg	Flow Rate:	150ml per stroke
Size:	L21*W14*H11CM		

CYM HOLDING GROUP LTD

Mainly manufactures Injection mold, Blowing mold, Rotational mold, Auto parts mold etc.

MANUAL PUMP

CYMFP05

This is a water manual pump made of POM and rubber

Easy to install compact design

Ideal for installation where space is limited
Angled design ensures more comfortable operation from a standing position

Ideal as a priming pump for use with Portable Toilet, RV

Suitable for pumping freshwater and saltwater









Weight:	0.65kg	Size:	L15*W32.5*H11CM
Material:	POM/RUBBER/STEEL		
Hose Connections:	25mm （1″） / 38mm （1½″）		
Maximum Suction Lift:	4m （13.5ft）		
Maximum Discharge Head:	3m （10ft）		

CYM HOLDING GROUP LTD

Mainly manufactures Injection mold, Blowing mold, Rotational mold, Auto parts mold etc.

MANUAL PUMP

CYMFP06

This is a water manual pump made of POM and rubber


Easy to install compact design

Ideal for installation where space is limited
Angled design ensures more comfortable operation from a standing position

Ideal as a priming pump for use with Portable Toilet, RV

Suitable for pumping freshwater and saltwater





Weight:	0.87kg	Size:	L24*W34.5*H15CM
Material:	POM/RUBBER/STEEL		
Hose Connections:	25mm （1″） / 38mm （1½″）		
Maximum Suction Lift:	4m （13.5ft）		
Maximum Discharge Head:	3m （10ft）		

CYM HOLDING GROUP LTD

Mainly manufactures Injection mold, Blowing mold, Rotational mold, Auto parts mold etc.

MANUAL PUMP

CYMFP07

This is a water manual pump made of POM and rubber


Easy to install compact design


Ideal for installation where space is limited
Angled design ensures more comfortable operation from a standing position

Ideal as a priming pump for use with Portable Toilet, RV

Suitable for pumping freshwater and saltwater











Weight:	0.9kg	Size:	L25*W39*H15CM
Material:	POM/RUBBER/STEEL		
Hose Connections:	25mm （1″） / 38mm （1½″）		
Maximum Suction Lift:	4m （13.5ft）		
Maximum Discharge Head:	3m （10ft）		

MANUAL PUMP

CYMFP08


This is a water manual pump made of POM and rubber

Easy to install compact design

Ideal for installation where space is limited
Angled design ensures more comfortable operation from a standing position

Ideal as a priming pump for use with Portable Toilet, RV

Suitable for pumping freshwater and saltwater







Weight:	0.74kg	Size:	L15*W38.5*H13.5CM
Material:	POM/RUBBER/STEEL		
Hose Connections:	25mm （1″） / 38mm （1½″）		
Maximum Suction Lift:	4m （13.5ft）		
Maximum Discharge Head:	3m （10ft）		